

TREAD BOLDLY

HOWE X HOWE

QUOTE SHEET



BIG DOG[®] 4x4 WILDLAND
FIRE TRUCK

QUOTE SHEET

HOWERANDHOWE.COM →

Thank you for your interest in Big Dog. Please review our standard equipment list and select the appropriate options to receive a detailed quote.

BIG DOG

4x4 WILDLAND FIRE TRUCK

CONTACT NAME _____

DATE _____

COMPANY/ORGANIZATION _____

ADDRESS _____

PHONE _____

E-MAIL _____

PLEASE SUBMIT COMPLETED FORMS VIA E-MAIL.

firesales@howeandhowe.com

THANK YOU AND WE LOOK FORWARD TO YOUR RESPONSE!

STANDARD EQUIPMENT

CHASSIS

- > International HV 507
- > Cruise control
- > Air conditioning
- > Engine exhaust brake
- > Allison 3000EVS_automatic transmission
- > Air horns (hood mounted)
- > Heated mirrors
- > Front tires: 425/65R22.5 Michelin XZY-3
- > Rear tires: 445/65R22.5 Goodyear G296 MSA
- > 50 gal polished aluminum fuel tank
- > Selectable 4 wheel drive with high and low range transfer case
- > Steering stabilizer system
- > In cab main battery disconnect switch
- > Quick release mud flaps
- > Heavy duty head board
- > Front air ride seats
- > Custom center console
- > 16,000 lb front axle
- > 26,000 lb single rear axle
- > 40,600 lb GVWR
- > Wheelbase: 2D- 195 in 4D- 238 in
- > 2D | L x W x H: 29.75 ft x 8.5 ft x 10.5 ft
- > 4D | L x W X H: 32.75 ft x 8.5 ft x 10.5 ft

CAMERA SYSTEMS

- > Rear backup
- > Forward turret mounted
- > Split screen camera monitor

HEAVY DUTY BUMPERS

- > Black bed liner finish
- > Front electric 15,500 lb winch
- > Rear retractable bumper-(Stow Away)

GROUND SWEEPS

- > Independent R&L with controls in cab

HOSE REEL

- > Single hose reel with 1 in x 100 ft hose
- > Rubber hose

LED LIGHTS

- > Work lights within compartments
- > Ground Lighting under vehicle
- > Illuminate all work platforms and pump/valve area
- > Side facing work lights
- > LED Fog Lights
- > Front and rear off-road LED bars

PLUMBING

- > Intake port for hydrant connection and water drafting
- > Direct tank fill, 2.5 in NH female fitting, stainless steel one-way valve
- > Stainless Steel/Brass for all plumbing
- > Y-Strainer w/ ball valve flush for water

PUMP

- > Darley HE 48K- Kubota 48HP Diesel D1803T
- > Share fuel from truck tank
- > Drafting primer
- > Separate fuel filter/water separator
- > Foam system (Scotty 4171)
- > Pump controls at pump and inside cab (start, stop, throttle and pressure gauges)
- > Pump performance (*2.59 gear ratio, 63.5" lift with 10'3" suction hose)
 - 500 gpm (1892 L/M) @ 75 psi (5.1 bar)
 - 400 gpm (1514 L/M) @ 110 psi (7.6 bar)
 - 250 gpm (946 L/M) @ 180 psi (12.4 bar)
 - 100 gpm (378 L/M) @ 240 psi (16.6 bar)

WORKSTATIONS

- > 2 workstations
- > Non-skid floor
- > Two 1 in x 60 in hand-lines

SKID PLATES

- > Front bumper to front axle
- > Transmission and transfer case
- > Fuel tank and DEF tank
- > Air tank (4-Door Only)
- > Engine oil pan
- > Exhaust after treatment

SIREN

- > Radio rebroadcast function
- > Multifunction controller with auxiliary switches
- > Front-mounted speaker

TANKS

- > Fabricated poly tanks
- > Integrated 30 gallon foam tank
- > Sight glass- water and foam tanks
- > Hose bed
- > Top fill
- > NFPA baffle walls
- > Digital water level gauge in cab and on pump panel

TOOLBOXES

- > Two (2) 36 in x 18 in x 18 in (R&L under body)
- > Hinge doors with slam latches
- > Inside LED lights

TURRET

- > Front bumper mounted
- > Dual-position joystick control in cab

AVAILABLE OPTIONS

*INCLUDED WITH STANDARD PRICING

2-OR 4-DOOR

2-door

4-door

TRUCK COLOR*

Red
Black

White
Yellow

WATER TANK SIZE

1,250 gal*

1,500 gal

ENGINE POWER - L9 CUMMINS

330 HP/1000 ft-lb torque*
350 HP/1000 ft-lb torque

SIREN

One (1) speaker mounted behind front winch*
Dual speaker system (one front, one rear)

REAR PASSENGER SEATING

4-door only

Bucket seating*
Bench seating
SCBA seating

REFLECTIVE

Standard DOT and NFPA*
Custom
None (not for U.S.)

FRONT BUMPER WINCH

Steel cable*
Synthetic rope

TANK EXTERIOR

Textured tank surface*
> Smooth "wet side" (needed for wrapping or painting)
Painted tank
Wrapped Tank

WARNING LIGHTS

Whelen single color light package (red)*
Dual color

Specify colors
Amber traffic advisory warning light

Mounted location

FRONT TURRET

Task force tip "Tornado" * Akron Elkhart

HOSE REEL

1 in x 100 ft*	1.5 in x 100 ft
Single hose reel*	One (1) additional hose reel
Straight end*	Pistol end

HOSE BED COVER

Canvas with 3 adjustable dividers*
Aluminum chest-style doors
Anti-flack straps

ADDITIONAL STORAGE

One (1) 60 in x 18 in x 18 in toolbox

INTERIOR

Extra interior lighting
> PTT headset
Wireless headset

Brand	Quantity
	Wired headset

Brand	Quantity
-------	----------

> Radio install options
Customer install
Factory install (customer must provide radio)

APPARATUS BODY

> Custom logo
Reflective Custom
Aux 120-volt A/C system (1500-watt inverter)
Auto eject battery maintainer system
Auto eject air compressor system (shore powered)
Auto eject air system (external air source)

HIGH VOLUME DUMP GATE

Manual
Electric dump

ACCESSORY EQUIPMENT

Two (2) headboard mounted adjustable and telescoping LED mast and scene lights
Four (4) chemical barrel holders
> Porta-Tank (drop pool)- 2,100 gal
Under truck with complete roller mounted system
0.5 in polypropylene floor